



POLIMASTER[®]
Radiation Detection Technologies



X-RAY AND GAMMA RADIATION PERSONAL DOSIMETER

PM1630

X-ray and Gamma Radiation Personal Dosimeter PM1630 is a miniature electronic dosimeter capable of solving a wide range of personal dose monitoring tasks, including **measurement of personal dose equivalent (DE) and personal dose equivalent rate (DER)** of X-ray (continuous and pulsed) and gamma radiation. Also the dosimeter provides **wireless on-line data transfer and off-line transfer of instrument history events** to radiation monitoring system database of different institutions.

The **real time data transfer** capability allows to use PM1630 as a mean of control and indication of DER and DE during endovascular surgical procedures or other procedures with the use of radiation sources and to maintain a database and perform control of personnel exposure for the period of stay in an operating room using **Automated Personal Dosimetry System PM531**.

PM1630 dosimeters can be also integrated into **Automated Personal Dosimetry System PM530** for maintaining the instrument history database and monitoring personnel exposure.

Moreover, PM1630 is equipped with Bluetooth interface for integration with **Polismart[®]** application which enables **on-line indication** of the instrument data on a smartphone or tablet computer.

Features

- Small dimensions and light weight
- Single control button
- Digital indication, sound and LED alarms
- Three clips for different wearing options
- Resistance to cleaning and disinfection agents
- Wireless charging
- Data transfer via Bluetooth
- Function of automatic countdown and display in the Polismart[®] app of safe stay near radiation hazards

Application

- Medical personnel:
 - X-ray diagnostics
 - Interventional radiology
 - Radiation diagnostics and therapy
- Operators at radioisotope laboratories
- Medical physicists
- Customs and security officers working with X-ray inspection equipment
- Other professionals who work under the risk of X-ray and gamma radiation exposure



X-RAY AND GAMMA RADIATION PERSONAL DOSIMETER PM1630

SPECIFICATIONS

- **Dose equivalent (DE) measurement range:**
1.0 μ Sv - 10.0 Sv
- **DE measurement accuracy:** $\pm 15\%$
- **Dose equivalent rate (DER) measurement range:**
0.1 μ Sv/h - 1.0 Sv/h
- **DER measurement accuracy:** $\pm 15\%$
- **Energy range:** 15 keV - 1.5 MeV
- **Energy response relative to 0.662 MeV:**
- 29% ... +45%
- **Minimum pulse duration of X-ray and gamma radiation:** 2 ms
- **Thresholds:** 2 independent thresholds for both DE and DER
- **Alarm type:** visual and audible
- **Communication with digital devices:** Bluetooth
- **Automatic data logging:** 6000 data points
- **Possible wearing variants :**
 - in breast pocket (front clip)
 - on breast pocket (rear clip)
 - on any clothes item (with clip type "crocodile")
 - on the wrist (silicone band)
- **The color of PM1630 case:** for orders over 50 pcs, the color of the dosimeter case can be selected by the customer.
- **Power supply:** rechargeable battery (wireless charger provided)
- **Battery lifetime in run mode:**
 - ≥ 2 months with Bluetooth disabled and average dose rate up to 0.3 μ Sv/h
 - ≥ 10 days Bluetooth enabled and average dose rate up to 0.3 μ Sv/h
 - ≥ 8 h with Bluetooth enabled and average dose rate up to 1.0 Sv/h
- **Operating conditions:**
 - temperature: from -10 °C up to +50 °C
 - humidity: up to 98 % at +35 °C
 - atmospheric pressure: from 84 up to 106.7 kPa
- **Ingress protection:** IP67
- **Resistance to antiseptic:** yes
- **Drop test:** 1.5 m onto concrete surface
- **Dimensions:** 63 x 50 x 18 mm
- **Weight:** ≤ 50 g




 Wireless charging

PM1630 is equipped with Bluetooth module FCC ID: QQQ13, IC: 5123A-13.

The instrument is designed to meet the requirements of IEC 61526:2010, IEC 62743:2012 and ANSI N42.20.

Integration with APDS PM530 and APDS PM531



Europe, Asia, Africa, Middle East, Australia and Oceania, Latin America

Polimaster Europe UAB
Ezero g. 4, Didziasalio k., Nemezio sen., Vilniaus r.
LT-13264 Republic of Lithuania
phone: +370 5 210 2323
polimaster@polimaster.eu
polimaster.eu

North America

Polimaster Inc.
44873 Falcon Place, Suite 128
Sterling, VA 20166, USA
Phone: +1 703 525 5075
info@polimaster.us
polimaster.us

Japan

Polimaster Japan Co., Ltd.
AUBE2 5-177 Kuratsuki
Kanazawa, Ishikawa Prefecture
920-8203 Japan
phone: + 81 076 201 8623
pacific@polimaster.jp
polimaster.jp